

#### Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Locking option included  
Full perimeter handles included


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: LO Lift out, Reveal Fix, No sub frame, up to 6.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way  
Dinnington  
Sheffield  
S25 3QD  
Tel: 01909 499 899  
W: [www.granadaglazing.com](http://www.granadaglazing.com)



#### Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 – 80 micron finish.

Aluminium Finish: White – RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 25mm x 16mm.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Locking option included.  
Full perimeter handles included.


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: LO Shuffle, Lift out, Face Fix, up to 10.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way  
Dinnington  
Sheffield  
S25 3QD  
Tel: 01909 499 899  
W: [www.granadaglazing.com](http://www.granadaglazing.com)



#### Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 – 80 micron finish.

Aluminium Finish: White – RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 25mm x 16mm.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Locking option included  
Full perimeter handles included.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT:

Standard Details

GSG\_001

DRAWING NO.

-

PROJECT NO.

07/07/21

DATE.

TITLE:

LO Shuffle, Lift out, Reveal Fix, up to 10.8mm glass

NTS

AB  
DRAWN.


RH  
CHECKED.

-  
REVISION.

**GRANADA**  
secondary glazing

Campbell Way  
Dinnington  
Sheffield  
S25 3QD

Tel: 01909 499 899  
W: www.granadaglazing.com



#### Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 – 80 micron finish.

Aluminium Finish: White – RAL 9003 Satin.


Glazing: All frames are factory glazed.

Gasket colour: White.


Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Locking option included  
Full perimeter handles included.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



Section A-A



Section B-B

PROJECT:

Standard Details

GSG\_001

DRAWING NO.

-

PROJECT NO.

07/07/21

DATE.

TITLE:

LO Shuffle, Lift out, Reveal Fix, No sub frame, up to 10.8mm glass

NTS

AB  
DRAWN.


RH  
CHECKED.

-  
REVISION.

**GRANADA**  
secondary glazing

Campbell Way  
Dinnington  
Sheffield  
S25 3QD

Tel: 01909 499 899  
W: www.granadaglazing.com



#### Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 25mm x 16mm.


Glazing: All frames are factory glazed.

Gasket colour: White.


Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Locking option included  
Full perimeter handles included.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



Section B-B




Section A-A

PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: LO Shuffle, Lift out, Face Fix, up to 6.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way  
Dinnington  
Sheffield  
S25 3QD  
Tel: 01909 499 899  
W: www.granadaglazing.com



#### Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 25mm x 16mm.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Locking option included  
Full perimeter handles included

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: LO Lift out, Reveal Fix, up to 6.8mm glass	NTS	AB	RH	-
	DRAWN.	CHECKED.	REVISION.	



Campbell Way  
Dinnington  
Sheffield  
S25 3QD

Tel: 01909 499 899  
W: www.granadaglazing.com