

Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 63mm x 16mm.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Standard Locking button and tilt buttons.


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001 DRAWING NO.	-	PROJECT NO.	07/07/21 DATE.
TITLE: TBVS Tilting Balanced Vertical Slider, Face Fix, up to 10.8mm glass	NTS	AB DRAWN.	RH CHECKED.	- REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Standard Locking button and tilt buttons.


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: TBVS Tilting Balanced Vertical Slider, No Sub Reveal Fix, up to 10.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 63mm x 16mm.


Glazing: All frames are factory glazed.

Gasket colour: White.


Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Standard Locking button and tilt buttons.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



Section B-B




Section A-A

PROJECT: Standard Details	GSG_001 DRAWING NO.	- PROJECT NO.	07/07/21 DATE.
TITLE: TBVS Tilting Balanced Vertical Slider, Reveal Fix, up to 10.8mm glass	NTS DRAWN.	AB CHECKED.	RH REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 63mm x 16mm.

Glazing: All frames are factory glazed.


Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.



Ironmongery: Standard Locking button and tilt buttons.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.

Frame Width



Section B-B



Section A-A

PROJECT:

Standard Details

GSG_001

DRAWING NO.

-

PROJECT NO.

07/07/21

DATE.

TITLE:

TBVS Balanced Vertical Slider, Face Fix, up to 6.8mm glass

NTS

AB
DRAWN.


RH
CHECKED.

-
REVISION.

 **GRANADA**
secondary glazing

Campbell Way
Dinnington
Sheffield
S25 3QD

Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 63mm x 16mm.

Glazing: All frames are factory glazed.


Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.



Ironmongery: Standard Locking button and tilt buttons.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.

Frame Width



Section B-B




Section A-A

PROJECT: Standard Details	GSG_001 DRAWING NO.	-	PROJECT NO.	07/07/21 DATE.
TITLE: TBVS Balanced Vertical Slider, Reveal Fix, up to 6.8mm glass	NTS	AB DRAWN.	RH CHECKED.	- REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 – 80 micron finish.

Aluminium Finish: White – RAL 9003 Satin.


Glazing: All frames are factory glazed.

Gasket colour: White.



Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Standard Locking button and tilt buttons.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



Section B-B



PROJECT: Standard Details	GSG_001 DRAWING NO.	-	PROJECT NO.	07/07/21 DATE.
TITLE: TBVS Balanced Vertical Slider, Reveal Fix, No sub frame, up to 6.8mm glass	NTS	AB DRAWN.	RH CHECKED.	- REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com