

Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 43mm x 16mm.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Non-Locking as standard or a Locking option.


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: Slide past BVS Balanced Vertical Slider, Face Fix, up to 10.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 62mm x 16mm.


Glazing: All frames are factory glazed.

Gasket colour: White.



Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Non-Locking as standard or a Locking option.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



Section B-B




Section A-A

PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: Slide past BVS Balanced Vertical Slider, Reveal Fix, up to 10.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Non-Locking as standard or a Locking option.


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: Slide past BVS Balanced Vertical Slider, Face Fix, No sub frame, up to 10.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 43mm x 16mm.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Non-Locking as standard or a Locking option.


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: Slide past BVS Balanced Vertical Slider, Face Fix, up to 6.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.

Sub-Frame: Primed high quality with 2 coats, FSC Mix credit radiata pine clear grade, FSC mix credit TT-COC-002 157.

Timber Size: 62mm x 16mm.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Non-Locking as standard or a Locking option.


In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001		-	07/07/21
	DRAWING NO.		PROJECT NO.	DATE.
TITLE: Slide past BVS Balanced Vertical Slider, Reveal Fix, up to 6.8mm glass	NTS	AB	RH	-
		DRAWN.	CHECKED.	REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD
Tel: 01909 499 899
W: www.granadaglazing.com



Specification

Aluminium 6063-T6 alloy to BS EN 755-9 standard, powder coated to BS 6496 to 60 - 80 micron finish.

Aluminium Finish: White - RAL 9003 Satin.



Glazing: All frames are factory glazed.

Gasket colour: White.

Trim: 27mm uPVC Single Bullnosed White.

Ironmongery: Non-Locking as standard or a Locking option.

In line with our company policy of continuous product development and improvement, Granada reserves the right to make minor alterations to specification without notice.



PROJECT: Standard Details	GSG_001 DRAWING NO.	-	07/07/21 DATE.
TITLE: Slide past BVS Balanced Vertical Slider, Reveal Fix, No sub frame, up to 6.8mm glass	NTS	AB DRAWN.	RH CHECKED.
			-
			REVISION.



Campbell Way
Dinnington
Sheffield
S25 3QD

Tel: 01909 499 899
W: www.granadaglazing.com